


NEW
DESIGN >>
NOW!



With **BPW landing gears** you are
in a good position in all cases.

YOUR ADVANTAGES AT A GLANCE

› **Robust**

Just the right thing for usage in heavy jobs with a trailer, thanks to the reinforced shaft for the absorption of lateral forces and the continuous screw-on plate for optimum strength. And all with built-in safety: BPW landing gears meet AAR* requirements.

› **Comfortable**

The long, continuously perforated screw-on plate for different fixing positions ensures an easy, flexible installation. Low crank forces facilitate day-to-day tasks.

› **Economical**

Advantages that pay off: BPW landing leg is particularly light – and therefore the first choice, if every kilo of vehicle load makes a difference. BPW landing gear is maintenance-free for three years due to the long-term greasing with BPW ECO Li 91. In addition, it impresses with the lowest level of wear and is optimally protected from corrosion through high-quality coatings.


* Association of American Railroads

we think transport





BPW landing gear.




All dimensions in mm.

Technical data (per set)

Lifting capacity	24 t
static load capacity	50 t
stroke per crank turn	
Low gear	0,8 mm
High gear	9,6 mm
Crank force at 16 t	175 N


Support feet (without landing gear)

Design S
(Standard for air suspension)




BPW code number:
02.3710.01.01

Design T




BPW code number:
02.3710.00.00

Design A



BPW code number:
02.3710.03.01

Design R



BPW code number:
02.3710.02.00

BPW landing gear

Length M	Dimension H	Dimension G	Number D	Support foot design	BPW code number without gear drive	BPW code number with gear drive
650	305	380	7	T	02.3710.50.01	02.3710.51.01
				S	02.3710.52.01	02.3710.53.01
				without foot	02.3710.18.01	02.3710.19.01
700	355	430	8	T	02.3710.60.01	02.3710.61.01
				S	02.3710.62.01	02.3710.63.01
				without foot	02.3710.16.01	02.3710.17.01
750	405	480	9	T	02.3710.20.01	02.3710.21.01
				S	02.3710.22.01	02.3710.23.01
				without foot	02.3710.10.01	02.3710.11.01
800	455	530	9	T	02.3710.30.01	02.3710.31.01
				S	02.3710.32.01	02.3710.33.01
				without foot	02.3710.12.01	02.3710.13.01
850	505	580	10	T	02.3710.40.01	02.3710.41.01
				S	02.3710.42.01	02.3710.43.01
				without foot	02.3710.14.01	02.3710.15.01

Other versions available on request.

Crank handle

Dimension A	Dimension B (low gear)	Dimension C (high gear)	BPW code number
450	715	740	02.1404.31.01

Crank holder: 02.1408.03.00

Connection shaft

Dimension E	BPW code number
1500	02.4307.10.01

